The Journal of Cell Biology

Volume 128, 1995



Edited in cooperation with
The American Society for Cell Biology
Published semimonthly by
The Rockefeller University Press
Copyediting and Production
Suzanne M. Runyan,
Effie Janulis,
Linda Thrasybule, and
Davide R. Dickson

Editor-in-Chief

Norton B. Gilula

Associate Editors

Richard G. W. Anderson
Don W. Cleveland
Werner Franke
Elaine Fuchs
Randy Schekman
Kenneth M. Yamada

Editorial Board

Vann Bennett
Paul Bornstein
Marianne Bronner-Fraser
Eric J. Brown
Graham Carpenter
Nam-Hai Chua
John Cooper
Bruce Cunningham
Caroline Damsky
Scott Emr
Harold P. Erickson
Larry Gerace
Mary Jane Gething
Hans Geuze
Larry Goldstein
Alan Hall
Alan F. Horwitz
Hynda Kleinman
Susan Lindquist
Joan Massague
Frederick Maxfield
Jacopo Meldolesi
Ira Mellman
Ron Milligan
Timothy J. Mitchison
Andrew Murray
W. James Nelson
Walter Neupert
Eric N. Olsen
Suzanne Pfeffer
Tom A. Rapoport
Louis F. Reichardt
Daniel B. Rifkin
Mark Rose
Richard Rotundo
Richard Scheller
Sandra Schmid
Victor Small
Paul W. Sternberg
Murray Stewart
Ron Vale
Klaus Von der Mark
Frank S. Walsh
Helen Lu Yin

Copyright © 1995 by The Rockefeller University Press

Contents:

Volume 128, Numbers 1 & 2, January 1995

Mini-review

1 **A new role for motor proteins as couplers to depolymerizing microtubules.**
A. Desai and T. J. Mitchison

Regular Articles

5 **Depletion of calcium from the lumen of endoplasmic reticulum reversibly inhibits passive diffusion and signal-mediated transport into the nucleus.**
U. F. Greber and L. Gerace

15 **Nuclear spreads: I. Visualization of bipartite ribosomal RNA domains.**
M. A. Garcia-Blanco, D. D. Miller, and M. P. Sheetz

29 **Calnexin and BiP act as sequential molecular chaperones during thyroglobulin folding in the endoplasmic reticulum.**
P. S. Kim and P. Arvan

39 **Targeting of the yeast plasma membrane [H$^+$]ATPase: A novel gene *AST1* prevents mislocalization of mutant ATPase to the vacuole.**
A. Chang and G. R. Fink

51 **Sequence and domain organization of scruin, an actin–cross-linking protein in the acrosomal process of *Limulus* sperm.**
M. Way, M. Sanders, C. Garcia, J. Sakai, and P. Matsudaira

61 **Inhibition of CapZ during myofibrillogenesis alters assembly of actin filaments.**
D. A. Schafer, C. Hug, and J. A. Cooper

71 ***Drosophila* development requires spectrin network formation.**
H. Deng, J. K. Lee, L. S. B. Goldstein, and D. Branton

81 **The anatomy of flagellar microtubules: Polarity, seam, junctions, and lattice.**
Y.-H. Song and E. Mandelkow

95 **Identification and partial characterization of mitotic centromere-associated kinesin, a kinesin-related protein that associates with centromeres during mitosis.**
L. Wordeman and T. J. Mitchison

107 **Antibodies to the kinesin motor domain and CENP-E inhibit microtubule depolymerization–dependent motion of chromosomes in vitro.**
V. A. Lombillo, C. Nislow, T. J. Yen, V. I. Gelfand, and J. R. McIntosh

117 **Structural changes accompanying GTP hydrolysis in microtubules: Information from a slowly hydrolyzable analogue guanylyl-(α,β)-methylene-diphosphonate.**
A. A. Hyman, D. Chrétien, I. Arnal, and R. H. Wade

127 **The role of microtubule dynamics in growth cone motility and axonal growth.**
E. Tanaka, T. Ho, and M. W. Kirschner

139 **The role of microtubules in growth cone turning at substrate boundaries.**
E. Tanaka and M. W. Kirschner

157 **Expression of an epidermal keratin protein in liver of transgenic mice causes structural and functional abnormalities.**
K. M. Albers, F. E. Davis, T. N. Perrone, E. Y. Lee, Y. Liu, and M. Vore

171 **Roles of hepatocyte growth factor/scatter factor and the met receptor in the early development of the metanephros.**
A. S. Woolf, M. Kolatsi-Joannou, P. Hardman, E. Andermarcher, C. Moorby, L. G. Fine, P. S. Jat, M. D. Noble, and E. Gherardi

185 **Identification of brain-derived neurotrophic factor promoter regions mediating tissue-specific, axotomy-, and neuronal activity–induced expression in transgenic mice.**
T. Timmusk, U. Lendahl, H. Funakoshi, E. Arenas, H. Persson, and M. Metsis

201 **Viral proteins E1B19K and p35 protect sympathetic neurons from cell death induced by NGF deprivation.**
I. Martinou, P.-A. Fernandez, M. Missotten, E. White, B. Allet, R. Sadoul, and J.-C. Martinou

209 **NCAM polypeptides in heart development: Association with Z Discs of forms that contain the muscle-specific domain.**
M. K. Byeon, Y. Sugi, R. R. Markwald, and S. Hoffman

223 **Human COL2A1-directed SV40 T antigen expression in transgenic and chimeric mice results in abnormal skeletal development.**
K. S. E. Cheah, A. Levy, P. A. Trainor, A. W. K. Wai, T. Kuffner, C. L. So, K. K. H. Leung, R. H. Lovell-Badge, and P. P. L. Tam

239 **Type X collagen gene expression in mouse chondrocytes immortalized by a temperature-sensitive simian virus 40 large tumor antigen.**
V. Lefebvre, S. Garofalo, and B. de Crombrugghe

251 **Macromolecular interactions in the nucleoporin p62 complex of rat nuclear pores: Binding of nucleoporin p54 to the rod domain of p62.**
F. Buss and M. Stewart

263 **PICK1: A perinuclear binding protein and substrate for protein kinase C isolated by the yeast two-hybrid system.**
J. Staudinger, J. Zhou, R. Burgess, S. J. Elledge, and E. N. Olson

273 **The β subunit of the signal recognition particle receptor is a transmembrane GTPase that anchors the α subunit, a peripheral membrane GTPase, to the endoplasmic reticulum membrane.**
J. D. Miller, S. Tajima, L. Lauffer, and P. Walter

283 **The oligomerization reaction of the Semliki Forest virus membrane protein subunits.**
B.-U. Barth, J. M. Wahlberg, and H. Garoff

293 **Kinesin is the motor for microtubule-mediated Golgi-to-ER membrane traffic.**
J. Lippincott-Schwartz, N. B. Cole, A. Marotta, P. A. Conrad, and G. S. Bloom

307 **The *Hansenula polymorpha PER8* gene encodes a novel peroxisomal integral membrane protein involved in proliferation.**
X. Tan, H. R. Waterham, M. Veenhuis, and J. M. Cregg

321 **Cytoplasmic determinants involved in direct lysosomal sorting, endocytosis, and basolateral targeting of rat lgp120 (lamp-I) in MDCK cells.**
S. Höning and W. Hunziker

333 **Glycosyl phosphatidylinositol-dependent cross-linking of α-agglutinin and β1,6-glucan in the *Saccharomyces cerevisiae* cell wall.**
C.-F. Lu, R. C. Montijn, J. L. Brown, F. Klis, J. Kurjan, H. Bussey, and P. N. Lipke

341 **Differential localization and functional role of calsequestrin in growing and differentiated myoblasts.**
M. Raichman, M. C. Panzeri, E. Clementi, P. Papazafiri, M. Eckley, D. O. Clegg, A. Villa, and J. Meldolesi

355 **Mechanical function of dystrophin in muscle cells.**
C. Pasternak, S. Wong, and E. L. Elson

363 **Syntrophin binds to an alternatively spliced exon of dystrophin.**
A. H. Ahn and L. M. Kunkel

373 **Mammalian α1- and β1-syntrophin bind to the alternative splice-prone region of the dystrophin COOH terminus**
A. Suzuki, M. Yoshida, and E. Ozawa

383 **Tropomyosin is essential in yeast, yet the *TPM1* and *TPM2* products perform distinct functions.**
B. Drees, C. Brown, B. G. Barrell, and A. Bretscher

393 **Both synchronous and asynchronous muscle isoforms of projectin (the Drosophila bent locus product) contain functional kinase domains.**
A. Ayme-Southgate, R. Southgate, J. Saide, G. M. Benian, and M. L. Pardue

405 **A MAP kinase necessary for receptor-mediated activation of adenylyl cyclase in *Dictyostelium*.**
J. E. Segall, A. Kuspa, G. Shaulsky, M. Ecke, M. Maeda, C. Gaskins, R. A. Firtel, and W. F. Loomis

415 **LAR tyrosine phosphatase receptor: Alternative splicing is preferential to the nervous system, coordinated with cell growth and generates novel isoforms containing extensive CAG repeats.**
J. S. Zhang and F. M. Longo

433 **Transforming growth factor-α and β-amyloid precursor protein share a secretory mechanism.**
J. Arribas and J. Massagué

443 ADDITIONS AND CORRECTIONS

445 **A novel *cis*-acting centromeric DNA element affects *S. pombe* centromeric chromatin structure at a distance.**
L. G. Marschall and L. Clarke

455 **Zip1-induced changes in synaptonemal complex structure and polycomplex assembly.**
M. Sym and G. S. Roeder

467 **Cell size regulation, a mechanism that controls cellular RNA accumulation: Consequences on regulation of the ubiquitous transcription factors Oct1 and NF-Y, and the liver-enriched transcription factor DBP.**
E. E. Schmidt and U. Schibler

485 ***Aspergillus nidulans apsA* (anucleate primary sterigmata) encodes a coiled-coil protein required for nuclear positioning and completion of asexual development.**
R. Fischer and W. E. Timberlake

499 **Differential targeting of two glucose transporters from *Leishmania enriettii* is mediated by an NH_2-terminal domain.**
R. C. Piper, X. Xu, D. G. Russell, B. M. Little, and S. M. Landfear

509 **Giant peroxisomes in oleic acid–induced *Saccharomyces cerevisiae* lacking the peroxisomal membrane protein Pmp27p.**
R. Erdmann and G. Blobel

525 **The α subunit of the *Saccharomyces cerevisiae* oligosaccharyltransferase complex is essential for vegetative growth of yeast and is homologous to mammalian ribophorin I.**
S. Silberstein, P. G. Collins, D. J. Kelleher, P. J. Rapiejko, and R. Gilmore

537 **Polarized sorting of β-amyloid precursor protein and its proteolytic products in MDCK cells is regulated by two independent signals.**
C. Haass, E. H. Koo, A. Capell, D. B. Teplow, and D. J. Selkoe

549 **Evidence for nonvectorial, retrograde transferrin trafficking in the early endosomes of HEp2 cells.**
R. N. Ghosh and F. R. Maxfield

563 **Myogen is required for late but not early aspects of myogenesis during mouse development.**
J. M. Venuti, J. H. Morris, J. L. Vivian, E. N. Olson, and W. H. Klein

577 ***myoA* of *Aspergillus nidulans* encodes an essential myosin I required for secretion and polarized growth.**
C. A. McGoldrick, C. Gruver, and G. S. May

589 **Actin filament disassembly is a sufficient final trigger for exocytosis in nonexcitable cells.**
S. Muallem, K. Kwiatkowska, X. Xu, and H. L. Yin

599 **Regulation of cortical actin cytoskeleton assembly during polarized cell growth in budding yeast.**
R. Li, Y. Zheng, and D. G. Drubin

617 ***Saccharomyces cerevisiae* kinesin- and dynein-related proteins required for anaphase chromosome segregation.**
W. S. Saunders, D. Koshland, D. Eshel, I. R. Gibbons, and M. A. Hoyt

625 **Acetylcholine receptor–aggregating activity of agrin isoforms and mapping of the active site.**
M. Gesemann, A. J. Denzer, and M. A. Ruegg

637 **The t-SNAREs syntaxin 1 and SNAP-25 are present on organelles that participate in synaptic vesicle recycling.**
C. Walch-Solimena, J. Blasi, L. Edelmann, E. R. Chapman, G. F. von Mollard, and R. Jahn

647 **Absence of persistent spreading, branching, and adhesion in GAP-43–depleted growth cones.**
L. Aigner and P. Caroni

661 **P-selectin glycoprotein ligand-1 mediates rolling of human neutrophils on P-selectin.**
K. L. Moore, K. D. Patel, R. E. Bruehl, L. Fugang, D. A. Johnson, H. S. Lichenstein, R. D. Cummings, D. F. Bainton, and R. P. McEver

673 **Proteoglycan forms of the lymphocyte homing receptor CD44 are alternatively spliced variants containing the v3 exon.**
D. G. Jackson, J. I. Bell, R. Dickinson, J. Timans, J. Shields, and N. Whittle

687 **CD44 isoforms containing exon V3 are responsible for the presentation of heparin-binding growth factor.**
K. L. Bennett, D. G. Jackson, J. C. Simon, E. Tanczos, R. Peach, B. Modrell, I. Stamenkovic, G. Plowman, and A. Aruffo

699 **Changes in the fibronectin-specific integrin expression pattern modify the migratory behavior of sarcoma S180 cells in vitro and in the embryonic environment.**
A. Beauvais, C. A. Erickson, T. Goins, S. E. Craig, M. J. Humphries, J. P. Thiery, and S. Dufour

715 **ADDITIONS AND CORRECTIONS**

721 **Reconstituted nuclei depleted of a vertebrate GLFG nuclear pore protein, p97, import but are defective in nuclear growth and replication.**
M. A. Powers, C. Macaulay, F. R. Masiarz, and D. J. Forbes

737 **Nuclear localization of the testis determining gene product SRY.**
F. Poulat, F. Girard, M.-P. Chevron, C. Gozé, X. Rebillard, B. Calas, N. Lamb, and P. Berta

749 ***CEP3* encodes a centromere protein of *Saccharomyces cerevisiae*.**
A. V. Strunnikov, J. Kingsbury, and D. Koshland

761 **Chromokinesin: A DNA-binding, kinesin-like nuclear protein.**
S.-Z. Wang and R. Adler

769 **Human SEC13Rp functions in yeast and is located on transport vesicles budding from the endoplasmic reticulum.**
D. A. Shaywitz, L. Orci, M. Ravazzola, A. Swaroop, and C. A. Kaiser

779 **A new vital stain for visualizing vacuolar membrane dynamics and endocytosis in yeast.**
T. A. Vida and S. D. Emr

793 **A Chinese hamster ovary cell mutant defective in the non-endocytic uptake of fluorescent analogs of phosphatidylserine: Isolation using a cytosol acidification protocol.**
K. Hanada and R. E. Pagano

805 **A posttranslational modification of β-actin contributes to the slow dissociation of the spectrin-protein 4.1–actin complex of irreversibly sickled cells.**
A. Shartava, C. A. Monteiro, F. A. Bencsath, K. Schneider, B. T. Chait, R. Gussio, L. A. Casoria-Scott, A. K. Shah, C. A. Heuerman, and S. R. Goodman

819 **Genetic deletion of ABP-120 alters the three-dimensional organization of actin filaments in *Dictyostelium* pseudopods.**
D. Cox, J. A. Ridsdale, J. Condeelis, and J. Hartwig

837 **Indirect association of ezrin with F-actin: Isoform specificity and calcium sensitivity.**
C. B. Shuster and I. M. Herman

849 **Cyclin B interaction with microtubule-associated protein 4 (MAP4) targets $p34^{cdc2}$ kinase to microtubules and is a potential regulator of M-phase microtubule dynamics.**
K. Ookata, S. Hisanaga, J. C. Bulinski, H. Murofushi, H. Aizawa, T. J. Itoh, H. Hotani, E. Okumura, K. Tachibana, and T. Kishimoto

863 **The Cdc31p-binding protein Kar1p is a component of the half bridge of the yeast spindle pole body.**
A. Spang, I. Courtney, K. Grein, M. Matzner, and E. Schiebel

879 **Protein phosphatase 1 regulates the cytoplasmic dynein-driven formation of endoplasmic reticulum networks in vitro.**
V. Allan

893 **The ryanodine receptor/calcium channel genes are widely and differentially expressed in murine brain and peripheral tissues.**
G. Giannini, A. Conti, S. Mammarella, M. Scrobogna, and V. Sorrentino

905 **Dephosphorylated synapsin I anchors synaptic vesicles to actin cytoskeleton: An analysis by videomicroscopy.**
P.-E. Ceccaldi, F. Grohovaz, F. Benfenati, E. Chieregatti, P. Greengard, and F. Valtorta

913 **Axonal synthesis of phosphatidylcholine is required for normal axonal growth in rat sympathetic neurons.**
E. Posse de Chaves, D. E. Vance, R. B. Campenot, and J. E. Vance

919 **Downregulation of amyloid precursor protein inhibits neurite outgrowth in vitro.**
B. Allinquant, P. Hantraye, P. Mailleux, K. Moya, C. Bouillot, and A. Prochiantz

929 **The membrane protein CD9/DRAP 27 potentiates the juxtacrine growth factor activity of the membrane-anchored heparin-binding EGF-like growth factor.**
S. Higashiyama, R. Iwamoto, K. Goishi, G. Raab, N. Taniguchi, M. Klagsbrun, and E. Mekada

939 **Intracellular domain of desmoglein 3 (Pemphigus Vulgaris Antigen) confers adhesive function on the extracellular domain of E-cadherin without binding catenins.**
J.-Y. Roh and J. R. Stanley

949 **Association of p120, a tyrosine kinase substrate, with E-cadherin/catenin complexes.**
S. Shibamoto, M. Hayakawa, K. Takeuchi, T. Hori, K. Miyazawa, N. Kitamura, K. R. Johnson, M. J. Wheelock, N. Matsuyoshi, M. Takeichi, and F. Ito

959 **Embryonic axis induction by the Armadillo repeat domain of β-catenin: Evidence for intracellular signaling.**
N. Funayama, F. Fagotto, P. McCrea, and B. M. Gumbiner

969 **Lymphocyte adhesion-dependent calcium signaling in human endothelial cells.**
S. Pfau, D. Leitenberg, H. Rinder, B. R. Smith, R. Pardi, and J. R. Bender

979 **Lack of β1 integrin gene in embryonic stem cells affects morphology, adhesion, and migration but not integration into the inner cell mass of blastocysts.**
R. Fässler, M. Pfaff, J. Murphy, A. A. Noegel, S. Johansson, R. Timpl, and R. Albrecht

989 **ADDITIONS AND CORRECTIONS**

991 **ADDITIONS AND CORRECTIONS**

Volume 128, Number 6, March 1995

995 **Foci of trinuculeotide repeat transcripts in nuclei of myotonic dystrophy cells and tissues.**
K. L. Taneja, M. McCurrach, M. Schalling, D. Housman, and R. H. Singer

1003 **Overexpression of wild-type and mutant ARF1 and ARF6: Distinct perturbations of nonoverlapping membrane compartments.**
P. J. Peters, V. W. Hsu, C. E. Ooi, D. Finazzi, S. B. Teal, V. Oorschot, J. G. Donaldson, and R. D. Klausner

1019 **SNAP-25 is expressed in islets of Langerhans and is involved in insulin release.**
K. Sadoul, J. Lang, C. Montecucco, U. Weller, R. Regazzi, S. Catsicas, C. B. Wollheim, and P. A. Halban

1029 **Dual pathways of internalization of the cholecystokinin receptor.**
B. F. Roettger, R. U. Rentsch, D. Pinon, E. Holicky, E. Hadac, J. M. Larkin, and L. J. Miller

1043 **Annexin XIIIb: A novel epithelial specific annexin is implicated in vesicular traffic to the apical plasma membrane.**
K. Fiedler, F. Lafont, R. G. Parton, and K. Simons

1055 **The role of Myo2, a yeast class V myosin, in vesicular transport.**
B. Govindan, R. Bowser, and P. Novick

1069 **Expression of functional domains of $Beta_G$-Spectrin disrupts epithelial morphology in cultured cells.**
R.-J. Hu, S. Moorthy, and V. Bennett

1081 **Ezrin NH_2-terminal domain inhibits the cell extension activity of the COOH-terminal domain.**
M. Martin, C. Andréoli, A. Sahuquet, P. Montcourrier, M. Algrain, and P. Mangeat

1095 **Molecular cloning, expression, and mapping of the high affinity actin-capping domain of chicken cardiac tensin.**
J.-Z. Chuang, D. C. Lin, and S. Lin

1111 **Cytoskeletal control of gene expression: Depolymerization of microtubules activates NF-κB.**
C. Rosette and M. Karin

1121 **Regulation of the interaction of nicotinic acetylcholine receptors with the cytoskeleton by agrin-activated protein tyrosine kinase.**
B. G. Wallace

1131 **A novel pool of protein phosphatase 2A is associated with microtubules and is regulated during the cell cycle.**
E. Sontag, V. Nunbhakdi-Craig, G. S. Bloom, and M. C. Mumby

1145 **Oocyte activation and passage through the metaphase/anaphase transition of the meiotic cell cycle is blocked in clams by inhibitors of HMG-CoA reductase activity.**
J. E. Turner, C. G. Minkoff, K. H. Martin, R. Misra, and K. I. Swenson

1163 **Microtubule polarity and dynamics in the control of organelle positioning, segregation, and cytokinesis in the trypanosome cell cycle.**
D. R. Robinson, T. Sherwin, A. Ploubidou, E. H. Byard, and K. Gull

1173 **The intracellular distribution and pattern of expression of Mcl-1 overlap with, but are not identical to, those of Bcl-2.**
T. Yang, K. M. Kozopas, and R. W. Craig

1185 **p53-dependent and p53-independent activation of apoptosis in mammary epithelial cells reveals a survival function of EGF and insulin.**
G. R. Merlo, F. Basolo, L. Fiore, L. Duboc, and N. E. Hynes

1197 **Expression of the *mad* gene during cell differentiation in vivo and its inhibition of cell growth in vitro.**
I. Västrik, A. Kaipainen, T.-L. Penttilä, A. Lymboussakis, R. Alitalo, M. Parvinen, and K. Alitalo

1209 **Regulation of cell surface β_1 integrin levels during keratinocyte terminal differentiation.**
N. A. Hotchin, A. Gandarillas, and F. M. Watt

1221 **High affinity immunoreactive FGF receptors in the extracellular matrix of vascular endothelial cells: Implications for the modulation of FGF-2.**
A. Hanneken, P. A. Maher, and A. Baird

1229 **Mapping the homotypic binding sites in CD31 and the role of CD31 adhesion in the formation of interendothelial cell contacts.**
J. Fawcett, C. Buckley, C. L. Holness, I. N. Bird, J. H. Spragg, J. Saunders, A. Harris, and D. L. Simmons

1243 **The integrin VLA-4 supports tethering and rolling in flow on VCAM-1.**
R. Alon, P. D. Kassner, M. W. Carr, E. B. Finger, M. E. Hemler, and T. A. Springer

1255 **AUTHOR INDEX FOR VOLUME 128**

1263 **SUBJECT INDEX FOR VOLUME 128**